

## 2026 Lake Whitney Water Treatment Plant Raw Water Usage

Date	%max registered diversion	Lake Level (ft relative to spillway)	Management Plan Restriction (32.36%)?	Management Plan Exception Exercised?	Reason for Exception
1/1	28.66%	0.17	Yes	No	
1/2	28.67%	0.15	Yes	No	
1/3	28.53%	0.16	Yes	No	
1/4	28.50%	0.15	Yes	No	
1/5	28.43%	0.14	Yes	No	
1/6	28.44%	0.14	Yes	No	
1/7	28.41%	0.15	Yes	No	
1/8	28.50%	0.15	Yes	No	
1/9	27.91%	0.16	Yes	No	
1/10	28.67%	0.17	Yes	No	
1/11	28.87%	0.24	No	No	
1/12	28.20%	0.23	No	No	
1/13	27.92%	0.17	Yes	No	
1/14	28.70%	0.15	Yes	No	
1/15	28.50%	0.15	Yes	No	
1/16	28.61%	0.16	Yes	No	
1/17	28.57%	0.16	Yes	No	
1/18	28.43%	0.16	Yes	No	
1/19	28.38%	0.17	Yes	No	
1/20	29.93%	0.16	Yes	No	
1/21	29.31%	0.15	Yes	No	
1/22	29.93%	0.15	Yes	No	
1/23	29.94%	0.16	Yes	No	
1/24	19.74%	0.14	Yes	No	
1/25	0.00%	0.14	Yes	No	
1/26	0.00%	0.16	Yes	No	
1/27	25.04%	0.16	Yes	No	
1/28	27.85%	0.15	Yes	No	
1/29	27.50%	0.14	Yes	No	

1/30	27.93%	0.14	Yes	No	
1/31	29.39%	0.14	Yes	No	
2/1	29.41%	0.12	Yes	No	
2/2	29.40%	0.13	Yes	No	
2/3	28.72%	0.13	Yes	No	
2/4	5.21%	0.12	Yes	No	
2/5	31.29%	0.14	Yes	No	
2/6	41.86%	0.13	Yes	Yes	Total System Storage <Long-term Average
2/7	41.99%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/8	42.01%	0.10	Yes	Yes	Total System Storage <Long-term Average
2/9	41.84%	0.11	Yes	Yes	Total System Storage <Long-term Average
2/10	41.66%	0.11	Yes	Yes	Total System Storage <Long-term Average
2/11	39.52%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/12	41.77%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/13	42.71%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/14	41.31%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/15	42.24%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/16	42.12%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/17	41.26%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/18	42.20%	0.12	Yes	Yes	Total System Storage <Long-term Average
2/19	48.30%	0.14	Yes	Yes	Total System Storage <Long-term Average
2/20	52.59%	0.15	Yes	Yes	Total System Storage <Long-term Average
2/21	42.17%	0.23	No	No	
2/22	42.84%	0.22	No	No	
2/23	41.13%	0.22	No	No	

2/24	42.27%	0.19	Yes	Yes	Total System Storage <Long-term Average
2/25	53.87%	0.18	Yes	Yes	Total System Storage <Long-term Average
2/26	46.30%	0.18	Yes	Yes	Total System Storage <Long-term Average
2/27	54.64%	0.17	Yes	Yes	Total System Storage <Long-term Average
2/28	56.54%	0.17	Yes	Yes	Total System Storage <Long-term Average
3/1	56.41%	0.19	Yes	Yes	Total System Storage <Long-term Average
3/2	56.21%	0.19	Yes	Yes	Total System Storage <Long-term Average
3/3	55.37%	0.18	Yes	Yes	Total System Storage <Long-term Average
3/4	54.49%	0.21	No	No	
3/5	55.86%	0.25	No	No	
3/6	52.43%	0.40	No	No	
3/7	56.04%	0.45	No	No	
3/8	57.36%	0.38	No	No	
3/9	55.60%	0.44	No	No	
3/10	55.82%	0.43	No	No	
3/11	55.82%	0.39	No	No	
3/12	55.97%	0.41	No	No	
3/13	57.09%	0.43	No	No	
3/14	57.09%	0.34	No	No	
3/15	56.02%	0.30	No	No	
3/16	45.98%	0.29	No	No	
3/17	44.63%	0.67	No	No	
3/18	53.02%	0.56	No	No	
3/19	55.99%	0.41	No	No	
3/20	55.99%	0.36	No	No	
3/21	55.91%	0.35	No	No	
3/22	57.08%	0.32	No	No	
3/23	56.87%	0.32	No	No	
3/24	54.50%	0.50	No	No	

3/25	56.30%	0.36	No	No	
3/26	57.59%	0.32	No	No	
3/27	55.46%	0.32	No	No	
3/28	58.03%	0.29	No	No	
3/29	55.64%	0.27	No	No	
3/30	57.03%	0.26	No	No	
3/31	55.65%	0.26	No	No	