

**South Central Connecticut Regional Water Authority  
Environmental, Health & Safety Committee**

**Minutes of the March 27, 2025 Meeting**

The regular meeting of the Environmental, Health & Safety Committee (“Committee”) of the South Central Connecticut Regional Water Authority (“RWA”) took place on Thursday, March 27, 2025, at 90 Sargent Drive, New Haven, Connecticut and via remote access. Chair Ricozzi presided.

Present: **Committee** – Messrs. Ricozzi(R) and Borowy, and Mss. LaMarr and Sack  
**Management** – Mss. Kowalski and Calo(R), and Messrs. Lakshminaryanan, Hill(R),  
Ruggiero, and Singh  
**RPB** – Mr. Slocum  
**Staff** – Mrs. Slubowski

**3. MEET AS ENVIRONMENTAL, HEALTH & SAFETY COMMITTEE**

The Chair called the meeting to order at 12:40 p.m.

**3.1 APPROVE MINUTES – NOVEMBER 21, 2024**

On motion made by Ms. LaMarr and seconded by Mr. Borowy, the Committee voted unanimously to approve the minutes of its meeting held on November 21, 2024.

Borowy	Aye
Curseaden	Absent
LaMarr	Aye
Ricozzi	Aye
Sack	Aye

**3.2 BUSINESS CONTINUITY**

Committee members reviewed several memorandums and reports related to Environmental Hazards, AWIA 2025 Risk and Resiliency Assessment, Cyber Risk Update, and Staffing Succession.

Discussion took place regarding these memorandums.

**3.3 RECREATION ACTIVITY**

Committee members reviewed a brief memorandum and discussed upcoming events.

**3.4. REMOTE WATER MONITORING BUOYS**

Committee members discussed water monitoring and data collection and use.

**3.5 PHYSICAL SECURITY**

Discussion took place regarding roadmap status including technology and infrastructure upgrades.

At 12:56 p.m., on motion made by Ms. Sack and seconded by Ms. LaMarr, the Committee voted to adjourn the meeting, and Chair Ricozzi and Capt. Ruggiero withdrew from the meeting.

Borowy	Aye
Curseaden	Absent
LaMarr	Aye
Ricozzi	Aye
Sack	Aye

South Central Connecticut Regional Water Authority  
Environmental, Health and Safety Committee  
March 27, 2025

---

Mario Ricoszi, Chair

(R) = Attended remotely.

UNAPPROVED